




REPLACEMENT PARTS MANUAL

with Illustrations



**KEEP YOUR FREEZER IN EXCELLENT CONDITION. ALWAYS CONTACT
YOUR ELECTRO FREEZE DISTRIBUTOR FOR REPLACEMENT PARTS.**

Replacement Parts Orders

You must have the serial number of your freezer when ordering parts — parts may differ with a particular serial number of the same model.

Parts are listed using terminology that best fits the function of the part. The illustrations in this section will help you to find the correct part number and description. The alphabetized parts list can be used to verify part numbers pertaining to the serial number of your unit.

Important:

All parts in this section are for a standard model 208-230/60/1phase. For models with another configuration order by freezer serial number.

Place your parts order through your local authorized Electro Freeze distributor.

Name: _____

Address: _____

Phone: _____

If you require any further assistance contact:
H.C. Duke & Son, LLC., *Electro Freeze* as follows:



Phone: (309) 755-4553

(800) 755-4545

FAX: (309) 755-9858

E-mail: service@electrofreeze.com

Table of Contents

PART II

ILLUSTRATIONS

Figure 1	Head Assembly	1
Figure 2	Beater Shaft Assembly	2
Figure 3	Mix Feed Tube Assembly	3
Figure 4	Switch Box	4
Figure 5	Capacitor/Relay Box	5
Figure 6	Model CS705-M2 Assembly	6
Figure 7	Idler Pulley Assembly	8
Figure 8	Panel View	9

OTHER LISTS and INFORMATION

Accessories	10
O-Ring Chart	11
Alphabetized Parts List	13




Figure 1 Head Assembly

M01997-03

Item	Part No.	Description
*	HC121006-02	Head - Assy. Complete 5 Flavor Malt
1	HC121020	Cover - Assy Flex Shaft
2	HC160622	O-ring (Head)
3	HC196072	Bushing - Beater Bearing
4	HC113435	Keeper - Assy. Spindle
5	HC121005	Head - Assy. w/Posts 5 FL SH
6	HC160771	Coupling - Body 1/4 Flow 1/4 Barb Shutoff
7	HC160632	O-ring (Syrup Line)
8	HC196291	Shaft - Assy. Mix
9	HC121106-01	Chamber - Assy. Mix Includes: HC141148-01 Chamber - Mix 5FL Malt HC121061 Coupling - Assy (Qty 5) HC121061-01 Coupling - Assy 90°(Qty 1) HC160650 O-ring
10	HC160650	O-ring (Mix Chamber)
11	HC121019-01	Handle - Assy. Disp. Complete Includes: HC162629 Knob - Ball 3/8
12	HC160555	O-ring (Pivot Post)
13	HC135182	Post - Pivot
14	HC141150	Plunger - Dispensing 5 Flavor
15	HC141151	Bushing - Mixer Shaft
16	HC138611	Rod - Actuator
17	HC160582	O-ring (Plunger - Upper)
18	HC160582	O-ring (Plunger - Lower)
19	HC153422-01	Shaft - Flexible w/Casing 17-1/2" Ball Bearing. Does not include item #20.
20	HC121008-01	Connect - Assy Shake Drive

Not Shown:

HC162625 Knob - Hand





Figure 2 Beater Shaft Assembly

Item	Part No.	Description
1	HC118708	Beater - Assy. Shake Short
2	HC140900	Blade - Scraper Shake Non Rev
3*	HC137593	Washer - Double Shaft Seal
4*	HC160557	Seal - Beater Shaft
* Can be ordered together as		
	HC115525	Seal - Assy. Shaft Double

Figure 3 Mix Feed Tube Assembly

Item	Part No.	Description
*	HC120666	Tube - Assy. Mix Feed .313
1	HC140721	Tube - Mix Feed .313 Orifice
2	HC120664	Insert - Assy. Mix Feed (Regulator)
3	HC160611	O-ring (Insert - Regulator)
4	HC160621	O-ring (Mix Feed Tube)
* Includes items 1 through 4.		






Figure 4 Switch Assembly

Item	Part No.	Description
*	HC121011-01	Switch - Assy. Plunger Shake Pres
1	HC162303	Spring - Plunger Rod
2	HC159973	Screw - RDHM #6-32 x 2 ZN
3	HC121012-01	Guard - Switch Assembly
4	HC137798	Insulator - Switch
5	HC150456	Switch - Snap Button
6	HC160393	Washer - Flat #6 Brass
7	HC160199	Nut - El Stop #6-32 ZN
8	HC139175	Insulator - Switch
9	HC137765-01	Spacer - .375 Long
10	HC160157	Washer - 1/2 x .196 x 1/16
11	HC141209	Guard - Switch Assy.

* Includes all items above.





Figure 5 Plunger Box

Item	Part No.	Description
1	HC150985	Fuse - Fast AGC 1.0A 1/4 x 1-1/4
2	HC150984	Breaker - Circuit 0.7A
3	HC121011	Switch - Assy. Plunger (See Figure 5)
	HC162303 ...	Spring - Plunger Rod
	HC150456 ...	Switch-Snap Button
4	HC150452	Breaker - Circuit 4.5A
5	HC150188	Timer - DOB .5-60 Sec
6	HC150798	Terminal - Strip
7	HC150381	Relay - Flange Base w/Cover
8	HC150341	Relay - Control Flange 3PDT 24VAC
9	HC159235	Switch - Toggle SPST
10	HC150971	Switch - Push DPDT MOM Black
11	HC150456	Switch - Snap Button
12	HC137760	Rod - Plunger Switch (Actuator Button)
13	HC150465	Switch - Toggle 3PDT Center Off
14	HC150971	Switch - Push DPDT Mom Black



M02011-01

Figure 6 Electrical Box

Item	Part No.	Description
1	HC151414	Capacitor - Start
2	HC150244	Capacitor - Run
3	HC151474	Relay - Compressor Start
4	IC574100325	Transformer - 75VA / 24VAC / MURD
5	HC119989	Kit - Thermostat & Retainer
6	HC150890	Rectifier - Bridge
7	HC150967-01	Control - Speed 230VAC to DC Motor
8	HC120603	Board - Assy. Torque Monitor Shake
9	HC160743	Clamp - Hose 3-1/6 to 4
10	IC574100349	Transformer - Current
11	HC120095	Kit - Recycle Timer Wiring Instructions
12	HC150097-01	Relay - Miniature DPDT 230V Coil
13	HC150098	Socket - Miniature Relay DPDT
13A	HC150166	Clip - Miniature Relay Retaining
14	HC150594	Stop - Terminal Block End (Cover)
15	HC150591	Block - Terminal
16	HC150095	Contactor - Mini 3P (Beater Motor)
17	HC150095	Contactor - Mini 3P (Compressor)

Not Shown:

HC141538.....Decal - Wiring Diagram
 HC150940-01.....Block - Fuse DIN 5X20MM
 HC150939-01.....Fuse - 5X20MM 5A 250V Fast

Figure 7 Syrup System View (Sheet 1 of 2)




Figure 7 Syrup System View (Sheet 2 of 2)

Item	Part No.	Description
1.....	HC121100.....	Kit - Tube Assy. Syrup Yellow and Coupling
2.....	HC121101.....	Kit - Tube Assy. Syrup Brown and Coupling
3.....	HC121102.....	Kit - Tube Assy. Syrup Red and Coupling
4.....	HC121103.....	Kit - Tube Assy. Syrup Blue and Coupling
5.....	HC121662.....	Kit - Tube Assy. Malt and Coupling
6.....	HC150966.....	Potentiometer - 100K OHM 1-Turn
7.....	HC150982-08.....	Housing - Plug Ears 6 Circuit
8.....	HC169101.....	Pump - Peristaltic Syrup 24VDC
9.....	HC150967.....	Control - Speed 24VAC to DC Motor
10.....	HC121039.....	Tube - Assy. Syrup Pick-up
11.....	HC121039-01.....	Tube - Assy. Syrup Pick-up 3/8 (Chocolate)
12.....	HC141173.....	Cap - Bottle Gal Punched
12A.....	HC199050.....	Boot - Syrup Bottle (Black) (not shown)
13.....	HC141173-01.....	Cap - Bottle Gal Punched 7/16 (Chocolate)
13A.....	HC199050.....	Boot - Syrup Bottle (Black) (not shown)

Not Shown:


HC121094.....	Tube - Assy Water Line
HC161032.....	Filter - In Line 3/8NPT Wtr 100 Mesh
HC160720.....	Clamp - Hose 7/32 to 5/8 (Water line)
HC196109.....	Beaker - 150ml
HC162642.....	Knob - Syrup Pot

Coupling - Assy. Insert - 1/4 Flow 1/8 NPT (also used in calibration process) HC160770




Item	Part No.	Description
1.....	HC160632.....	O-ring

Pump Peristaltic Tube Assembly



Item	Part No.	Description
1.....	HC120983.....	Tube - Assy Small Peristaltic
	HC120983-01..	Tube - Assy Large Peristaltic (Chocolate)

Figure 8 Panel View (Sheet 1 of 2)



M02013

Figure 8 Panel View (Sheet 2 of 2)

Item	Part No.	Description
1	HC141185	Panel - Rear
2	HC121041	Panel - Assy Weldment RH
3	HC150541	Light - Indicator 28v ADD MIX
4	HC196261	Cover - Drip Tray
5	HC196260	Tray - Drip
6	HC121017-01	Panel - Assy. Front 5 Flavor Malt
6A	HC159064	Grommet - 1.1 OD 7/8 GD x 5/8 ID (Drain Tube)(Not Shown)
7	HC140659	Panel - Side LH CS705
8	HC141161-02	Panel - Dispense 5 Flavor + Malt
9	HC121018-01	Trimstrip - Assy. Tapered Malt
10	HC120804	Panel - Assy. Hopper & Top
11	HC118691	Cover - Assy. Hopper Insulate
12	HC162200	Cart - CS Stainless
		HC162200-11 Latch - CS Cart
13	HC155143	Filter - 22 x 19 x 3/8


Not Shown:

HC161300	Switch - Level Float Sensor
HC161301	Float - Level Sensor
HC139230	Deflector - Panel (Left side)
HC114341	Stud - Assy. Cylinder 1-15/16"
HC150042	Light - Pilot White 24V
HC150485	Switch - Rocker SPST (Malt)

Hardware for Panels		
Panel	Screw	Nut - Speed
Dispense - Top	HC160025	n/a
Dispense - Bottom	HC160076	n/a
Front	HC160048	n/a
Rear	HC160048	n/a
Side	HC159219	n/a
Trimstrip	HC160076	n/a
*N/A - Not Applicable		

CS705-M2 Panel Decals & Labels	
Part No.	Description
HC165025	Beater Warning
HC165250	Cleaning Instructions
HC165093	Clear Overlay
HC164215-02	Flavor - Malt
HC164232	Malt
HC165414	Nameplate-Electro Freeze
HC165126	Panel Removal
HC164220	Pump Potentiometer
HC164220-01	Pump Potentiometer Brown
HC164220-02	Pump Potentiometer Red
HC164220-03	Pump Potentiometer Blue
HC164216	Syrup Pump
HC164217	Trimstrip
HC169052	Ventilation 3 in.

Figure 8 Side View (Sheet 1 of 2)



M01843

Figure 8 Side View (Sheet 2 of 2)

Item	Part No.	Description	Item	Part No.	Description
1	HC120602	Compressor - Assy. 208-230/1/60 includes compressor and:	19	HC155140	Condenser - Air 14 x 14
		HC150244.....Capacitor - Run	20	HC140656	Shroud - Fan.....
		HC151414.....Capacitor - Start	21	HC159033	Blade - Fan 12 in. 24°
		HC155063.....Drier - Filter 3 cu. in. Sweat	22	HC151077	- 01 Motor - Fan 50W 230V 50/60 HZ
		HC151478.....Grommet - Comp. Mtg.	23	HC120580	Bracket - Assy. Fan Mount
		HC151474.....Relay - Compressor Start	24	HC120417	Cylinder - Assy. Complete
		HC151479.....Sleeve - Comp. Mtg.	25	HC155397	Tube - Capillary w/Strainer
2	HC155490	Valve - Automatic Expansion	26	HC119989	Kit - Thermostat & Retainer
3	HC165531	Insulator - Expansion Valve	27	- - - -	Electric Box (See Figure 5)
4	HC155497	Valve - Access (EPR)	28	HC155497	Valve - Access (Suction)
5	HC155398	Valve - EPR	29	HC120603	Board - Assy. Torque Monitor Shake
6	HC162331	Spring - Extension	30	HC155708	Valve - Solenoid 1/4 NPT 240V
7	HC151143	Motor - 1/2 HP 115/208 - 230 /1/60 (Beater Motor)	Not Shown:		
8	HC153185	Belt - Poly V		HC120606	Tube - Assy. Drain
9	HC140654	Sheave - Drive 1.438 PD J8		HC161032	Filter - In line 3/8 NPT WTR 100 Mesh
9A	HC153323	Key - Drive 1/4" Sq. x 1-1/2" (not shown)		HC151149	Motor - Shake 44W 230v FWR
10	HC120588	Pulley - Assy. Idler Tensioner			
11	HC153614	Sheave - Driven			
11A	HC160033	Screw - SK Set 5/16 - 18 x 3/8 (not shown)			
12	HC153323	Key - Drive 1/4" Sq. x 1 - 1/2"			
13	HC155063	Drier - Filter 3 cu in Sweat			
14	HC155059	Glass - Sight			
15	HC140824	Shaft - Drive			
15B	HC160056	Screw - Set 1/4-20 x 1/4 (not shown)			
16	HC120946	Bearing - Assy Rear (See Figure 7)			
		HC153024.....Bearing - Ball 1.00ID x 2.0472 OD			
17	HC140823	Cap - Coupling			
18	HC155450	Cut Out - High Pressure 450 PSI			
18A	HC155419	Valve - Access			
18B	HC155649	Valve - Core			




Figure 9 Drive Shaft and Bearing Assembly


Item	Part No.	Description
*	HC120946	Bearing - Assy. Rear
1	HC130189	Spacer - Rear Bearing
2	HC153024	Bearing - Ball 1.00 ID x 2.0472 OD
3	HC153025	Stamping - Retainer Plate
4	HC153026	Stamping - Main
5	HC160105	Nut - Hex 5/16-18 ZN
6	HC160142	Washer - Lock 5/16 ZN
7	HC160415	Bolt - Carriage 5/16-18 x 3 ZN
8	HC140824	Shaft - Drive
9	HC153614	Sheave - Driven
10	HC160056	Screw - SK Set
11	HC140823	Cap - Coupling



* Includes items 1 through 7.

Not Shown:
HC113948 Bar - Alignment (Loaner) (used to align bearings to cylinder)
HC113948-01 Bar - Alignment (Purchase)

Accessories

Part No.	Description
HC162548	Adhesive - Filter Spray
HC196109	Beaker - 150ML
HC196103	Bottle - Wash 500ML
HC158003	Brush - 7/16 x 1-1/8 Double Handle
HC158010	Brush - 6 inch w/o Handle (Use with Handle HC158012)
HC158026	Brush - 1 inch Diameter 12 inches Long
HC158028	Brush - 3/8 Dia x 1/2 21inch Handle
HC158077	Brush - 9/16 inch with 36 inch Handle
HC184291	Chart - O-ring (Laminated)
HC121061	Coupling - Assy. Insert 1/4 Flow 1/8 NPT (Used in Calibration Process) includes HC160632 O-ring
HC158051	Cup - Overrun Measuring 1 Pint (Use with P/N 158049 scale)
HC158012	Handle - Brush 36 inch Fiberglass (Use with Brush HC158010)
HC158066	Lubricant - Compound 7 5.3 oz. tube (per tube)
HC158014	Sanitizer - Stera-Sheen Case/4 Jars
HC158014A.....	Sanitizer - Stera-Sheen 4 lb. jar
HC158049	Scale - Overrun
HC184589	Sheet - Clean & Sanitize CS705
HC184590	Sheet - Clean & Sanitize Syrup System CS705
HC169374	Tool - O-Ring Removal





Notes

Alphabetized Parts List for Model CS705-M2

IMPORTANT:

All parts shown are for standard models designed for 220v/60Hz/1phase.

PART DESCRIPTION	PART NUMBER	QTY	SERIAL NUMBER (FROM – TO)
Adhesive-Filter Spray	HC162548.....	*	J2O-2935 -
Bar-Alignment (Loaner)	HC113948.....	1	J2O-2935 -
Bar-Alignment (Purchase).....	HC113948-01.....	1	J2O-2935 -
Beaker-150ML (Calibration)	HC196109.....	1	J2O-2935 -
Bearing-Assy. Rear.....	HC120946.....	1	J2O-2935 -
Bearing-Ball 1.00 ID x 2.0472 OD.....	HC153024.....	2	J2O-2935 -
Bolt-Carriage 5/16-18 x 3 ZN.....	HC160415	2	J2O-2935 -
Nut-Hex 5/16-18 ZN.....	HC160105.....	2	J2O-2935 -
Spacer-Rear Bearing	HC130189.....	2	J2O-2935 -
Stamping-Main.....	HC153026.....	2	J2O-2935 -
Stamping-Retainer Plate.....	HC153025.....	2	J2O-2935 -
Washer-Lock 5/16 ZN	HC160142.....	2	J2O-2935 -
Bearing-Ball 1.00 ID x 2.0472 OD	HC153024.....	2	J2O-2935 -
Beater-Assy. Shake Short	HC118708.....	1	J2O-2935 -
Belt-Poly V	HC153185.....	1	J2O-2935 -
Blade-Fan 12 in. 24°	HC159033.....	1	J2O-2935 -
Blade-Scraper Shake Non Rev	HC140900.....	2	J2O-2935 -
Block-Terminal	HC150591.....	2	J2O-2935 -
Board-Assy. Torque Monitor Shake	HC120603.....	1	J2O-2935 -
Bolt-Carriage 5/16-18 x 3 ZN.....	HC160415.....	2	J2O-2935 -
Boot-Syrup Bottle	HC199050.....	4	J2O-2935 -
Bottle-Wash 500ML	HC196103.....	1	J2O-2935 -
Bracket-Assy. Fan Mount	HC120580.....	1	J2O-2935 -
Breaker-Circuit 0.7A	HC150984.....	1	J2O-2935 -
Breaker-Circuit 4.5A	HC150452.....	1	J2O-2935 -
Brush-1 inch Diameter 12 inches Long	HC158026.....	1	J2O-2935 -
Brush-3/8 Dia x 1/2 21inch Handle.....	HC158028.....	1	J2O-2935 -
Brush-6 inch w/o Handle (Use with Handle HC158012).....	HC158010.....	1	J2O-2935 -
Brush-7/16 x 1-1/8 Double Handle	HC158003.....	1	J2O-2935 -
* As Required ** LH or RH — Left or right hand is determined as you face the front of the freezer. NLA No Longer Available			

**Use only original or authorized replacement parts with this freezer.
Use of unapproved parts will void warranty.**

Alphabetized Parts List for Model CS705-M2

IMPORTANT:

All parts shown are for standard models designed for 220v/60Hz/1phase.

PART DESCRIPTION	PART NUMBER	QTY	SERIAL NUMBER (FROM – TO)
Brush-9/16 inch with 36 inch Handle	HC158077.....	1	J2O-2935 -
Bushing-Beater Bearing	HC196072.....	1	J2O-2935 -
Bushing-Mixer Shaft	HC141151.....	1	J2O-2935 -
Capacitor-Run	HC150244.....	1	J2O-2935 -
Capacitor-Start	HC151414.....	1	J2O-2935 -
Cap-Bottle Gal Punched.....	HC141173.....	3	J2O-2935 -
Cap-Bottle Gal Punched 7/16 (Chocolate)	HC141173-01.....	1	J2O-2935 -
Cap-Coupling.....	HC140823.....	1	J2O-2935 -
Cart-CS Stainless	HC162200.....	1	J2O-2935 -
Chamber-Assy Mix	HC121006-01	1	J2O-2935 -
Chamber-Mix	HC141148-01.....	1	J2O-2935 -
Coupling-Body 1/4 Flow 1/8 NPT.....	HC121061.....	5	J2O-2935 -
O-ring	HC160650.....	1	J2O-2935 -
Chart-O-ring (Laminated)	HC184291.....	1	J2O-2935 -
Clamp-Hose 3-1/6 to 4 (Electric Box-Capacitor) HC160743.....	1	J2O-2935 -	
Clamp-Hose 4/32 to 5/8 (Wate Line)	HC160720.....	1	J2O-2935 -
Clip-Miniature Relay Retaining	HC150166.....	1	J2O-2935 -
Compressor-Assy. 208-230-1-60			
includes compressor and:.....	HC120602.....	1	J2O-2935 -
Capacitor-Run	HC150244.....	1	J2O-2935 -
Capacitor-Start	HC151414	1	J2O-2935 -
Drier-Filter 3 cu. in. Sweat	HC155063.....	1	J2O-2935 -
Grommet-Comp.Mtg.....	HC151478.....	4	J2O-2935 -
Relay-Compressor Start.....	HC151474.....	1	J2O-2935 -
Sleeve-Comp.Mtg.	HC151479.....	4	J2O-2935 -
Condenser-Air 14 x 14	HC155140.....	1	J2O-2935 -
Connect- Assy Drive	HC121008-01	1	J2O-2935 -
Contact- Mini 3P (Beater Motor & Compressor) HC150095.....	2	J2O-2935 -	
Control-Speed 230VAC to DC Motor.....	HC150967-01	1	J2O-2935 -
Control-Speed 24VAC to DC Motor.....	HC150967.....	1	J2O-2935 -
Coupling-Assy. Insert 1/4 Flow 1/8 NPT			
(Used in Calibration Process).....	HC121061.....	1	J2O-2935 -
* As Required ** LH or RH — Left or right hand is determined as you face the front of the freezer. NLA No Longer Available			

Use only original or authorized replacement parts with this freezer.
Use of unapproved parts will void warranty.

Alphabetized Parts List for Model CS705-M2

IMPORTANT:

All parts shown are for standard models designed for 220v/60Hz/1phase.

PART DESCRIPTION	PART NUMBER	QTY	SERIAL NUMBER (FROM – TO)
O-ring	HC160632.....	1	J2O-2935 -
Cover-Assy Flex Shaft.....	HC121020.....	1	J2O-2935 -
Cover-Assy. Hopper Insulate.....	HC118691.....	1	J2O-2935 -
Cover-Drip Tray	HC196261.....	1	J2O-2935 -
Coupling-Body ¼ Flow ¼ Barb Shut off	HC160771.....	5	J2O-2935 -
Cup-Overrun Measuring 1 Pint (Use with P/N 158049 scale).....	HC158051.....	1	J2O-2935 -
Cut Out-High Pressure 450 PSI	HC155450.....	1	J2O-2935 -
Cylinder-Assy. Complete	HC120417.....	1	J2O-2935 -
Decal-Beater Warning	HC165025.....	1	J2O-2935 -
Decal-Cleaning Instructions.....	HC165250.....	1	J2O-2935 -
Decal-Clear Overlay	HC165093.....	1	J2O-2935 -
Decal-Flavor	HC164215.....	1	J2O-2935 -
Decal-Panel Removal.....	HC165126.....	7	J2O-2935 -
Decal-Pump Potentiometer	HC164220.....	1	J2O-2935 -
Decal-Pump Potentiometer Blue	HC164220-03	1	J2O-2935 -
Decal-Pump Potentiometer Brown	HC164220-01	1	J2O-2935 -
Decal-Pump Potentiometer Red.....	HC164220-02	1	J2O-2935 -
Decal-Syrup Pumps.....	HC164216.....	1	J2O-2935 -
Decal-Ventilation 3 in.....	HC169052.....	1	J2O-2935 -
Deflector-Panel (Left side top).....	HC139230.....	1	J2O-2935 -
Drier-Filter 3 cu in Sweat.....	HC155063.....	1	J2O-2935 -
Filter-22 x 19 x 3/8.....	HC155143.....	1	J2O-2935 -
Filter-In Line 3/8NPT Wtr 100 Mesh	HC161032.....	1	J2O-2935 -
Float-Level Sensor	HC161301.....	1	J2O-2935 -
Fuse-Fast AGC 1.0A 1/4 x 1-1/4.....	HC150985.....	2	J2O-2935 -
Glass-Sight.....	HC155059.....	1	J2O-2935 -
* As Required ** LH or RH — Left or right hand is determined as you face the front of the freezer. NLA No Longer Available			

**Use only original or authorized replacement parts with this freezer.
Use of unapproved parts will void warranty.**

Alphabetized Parts List for Model CS705-M2

IMPORTANT:

All parts shown are for standard models designed for 220v/60Hz/1phase.

PART DESCRIPTION	PART NUMBER	QTY	SERIAL NUMBER (FROM – TO)
Grommet-1.1 OD 7/8 GD x 5/8 ID Drain Tube	HC159064.....	1	J2O-2935 -
Grommet-Comp.Mtg.....	HC151478.....	4	J2O-2935 -
Guard-Switch Assy.	HC141209.....	1	J2O-2935 -
Handle-Assy.Disp. Complete.....	HC121019.....	1	J2O-2935 -
Handle-Brush 36 inch Fiberglass (Use with Brush HC158010).....	HC158012.....	1	J2O-2935 -
Head-Assy. Complete 5 Flavor.....	HC121006-02	1	J2O-2935 -
Bushing-Beater Bearing.....	HC196072.....	1	J2O-2935 -
Bushing-Mixer Shaft.....	HC141151.....	1	J2O-2935 -
Chamber-Mix	HC141148-01.....	1	J2O-2935 -
Coupling-Assy. Insert 1/4 Flow 1/8NPT	HC121061.....	5	J2O-2935 -
Handle-Assy. Disp. Complete	HC121019-01	1	J2O-2935 -
Head-Assy. w/Posts 5 FL SH	HC121005.....	1	J2O-2935 -
Keeper-Assy. Spindle.....	HC113435.....	1	J2O-2935 -
Knob-Ball 3/8	HC162629.....	1	J2O-2935 -
O-ring (Head).....	HC160622.....	1	J2O-2935 -
O-ring (Mix Chamber)	HC160650.....	1	J2O-2935 -
O-ring (Pivot Post)	HC160555.....	2	J2O-2935 -
O-ring (Plunger-Lower)	HC160582.....	1	J2O-2935 -
O-ring (Plunger-Upper)	HC160501.....	1	J2O-2935 -
O-ring (Syrup Line)	HC160632.....	6	J2O-2935 -
Plunger-Dispensing 5 Flavor.....	HC141150.....	1	J2O-2935 -
Post-Pivot	HC135182.....	1	J2O-2935 -
Housing-Plug Ears 6 Circuit	HC150982-08	1	J2O-2935 -
Insert-Assy. Mix Feed (Regulator).....	HC120664.....	1	J2O-2935 -
Insulator-Expansion Valve	HC165531.....	1	J2O-2935 -
Insulator-Switch.....	HC137798.....	1	J2O-2935 -
Insulator-Switch.....	HC139175.....	1	J2O-2935 -
Keeper-Assy. Spindle	HC113435.....	1	J2O-2935 -
Key-Drive 1/4" Sq. x 1-1/2"	HC153323.....	1	J2O-2935 -
Kit-Recyle Timer Wiring Instructions.....	HC120095.....	1	J2O-2935 -
Kit-Thermostat & Retainer.....	HC119989.....	1	J2O-2935 -
* As Required ** LH or RH — Left or right hand is determined as you face the front of the freezer. NLA No Longer Available			

**Use only original or authorized replacement parts with this freezer.
Use of unapproved parts will void warranty.**

Alphabetized Parts List for Model CS705-M2

IMPORTANT:

All parts shown are for standard models designed for 220v/60Hz/1phase.

PART DESCRIPTION	PART NUMBER	QTY	SERIAL NUMBER (FROM – TO)
Kit-Tube Assy. Syrup Blue and Coupling	HC121103.....	1	J2O-2935 -
Kit-Tube Assy. Syrup Brown and Coupling	HC121101.....	1	J2O-2935 -
Kit-Tube Assy. Syrup Red and Coupling	HC121102.....	1	J2O-2935 -
Kit-Tube Assy. Syrup Yellow and Coupling	HC121100.....	1	J2O-2935 -
Kit-Tube Assy. Malt and Coupling	HC121662.....	1	J2O-2935 -
Knob-Ball 3/8	HC162629.....	1	J2O-2935 -
Knob-Hand	HC162625.....	2	J2O-2935 -
Knob-Syrup Pot	HC162642.....	5	J2O-2935
Label-Trimstrip	HC164217.....	1	J2O-2935 -
Latch-CS Cart	HC162200-11.....	1	J2O-2935 -
Light-Indicator 28v ADD MIX	HC150541.....	1	J2O-2935 -
Lubricant-Compound 7 5.3 oz tube (per tube)	HC158054A	1	J2O-2935 -
Motor-1/2 HP 115/208-230-1-60 (Beater Motor)	HC151143.....	1	J2O-2935 -
Motor-Fan 50W 230V 50/60 HZ	HC151077-01	1	J2O-2935 -
Motor-Shake 44W 230v FWR.....	HC151149.....	1	J2O-2935 -
Nameplate-EF Large	HC165414.....	1	J2O-2935 -
Nut-El Stop #6-32 ZN	HC160199.....	4	J2O-2935 -
Nut-Hex 5/16-18 ZN	HC160105.....	2	J2O-2935 -
O-ring (Calibration Coupling).....	HC160632.....	1	J2O-2935 -
O-ring (Head).....	HC160622.....	1	J2O-2935 -
O-ring (Insert-Regulator)	HC160611.....	1	J2O-2935 -
O-ring (Mix Chamber).....	HC160650.....	1	J2O-2935 -
O-ring (Mix Feed Tube)	HC160621.....	2	J2O-2935 -
O-ring (Pivot Post).....	HC160555.....	2	J2O-2935 -
O-ring (Plunger).....	HC160582.....	1	J2O-2935 -
O-ring (Syrup Line).....	HC160632.....	5	J2O-2935 -
* As Required ** LH or RH — Left or right hand is determined as you face the front of the freezer. NLA No Longer Available			

**Use only original or authorized replacement parts with this freezer.
Use of unapproved parts will void warranty.**

Alphabetized Parts List for Model CS705-M2

IMPORTANT:

All parts shown are for standard models designed for 220v/60Hz/1phase.

PART DESCRIPTION	PART NUMBER	QTY	SERIAL NUMBER (FROM – TO)
Panel-Assy. Front 5 Flavor Malt	HC121017-01	1	J2O-2935 -
Panel-Assy. Hopper & Top.....	HC120804.....	1	J2O-2935 -
Panel-Dispense 5 Flavor Malt	HC141161-02.....	1	J2O-2935 -
Panel-Rear	HC141185.....	1	J2O-2935 -
Panel-Side LH CS705	HC121041.....	1	J2O-2935 -
Panel-Side RH.....	HC140658.....	1	J2O-2935 -
Plunger-Dispensing 5 Flavor	HC141150.....	1	J2O-2935 -
Post-Pivot	HC135182.....	1	J2O-2935 -
Potentiometer-100K OHM 1-Turn.....	HC150966.....	1	J2O-2935 -
Pulley-Assy. Idler Tensioner	HC120588.....	1	J2O-2935 -
Pump-Peristaltic Syrup 24VDC	HC169101.....	4	J2O-2935 -
Rectifier-Bridge.....	HC150890.....	1	J2O-2935 -
Relay-Compressor Start.....	HC151474.....	1	J2O-2935 -
Relay-Control Flange 3PDT 24VAC	HC150341.....	1	J2O-2935 -
Relay-Flange Base w/Cover.....	HC150381.....	1	J2O-2935 -
Relay-Miniature DPDT 230V Coil	HC150097-01	1	J2O-2935 -
Retainer-Drip Tray	HC140738.....	1	J2O-2935 -
Rod-Actuator	HC138611.....	1	J2O-2935 -
Rod-Plunger Switch (Actuator Button).....	HC137760.....	1	J2O-2935 -
Sanitizer-Stera-Sheen 4 lb. jar	HC158014A.....	*	J2O-2935 -
Sanitizer-Stera-Sheen Case/4 Jars.....	HC158014.....	*	J2O-2935 -
Scale-Overrun	HC158049.....	1	J2O-2935 -
Screw-RDHM #6-32 x 2 Zn	HC159973.....	1	J2O-2935 -
Screw-SK Set 1/4-20 x 1/4	HC160056.....	6	J2O-2935 -
Screw-SK Set 5/16-18 x 3/8	HC160033.....	2	J2O-2935 -
Screw-TRPM #10- 24 x 1/2 SST (Dispense-Bottom & Trimstrip).....	HC160076.....	*	J2O-2935 -
Screw-TRPM #8 32 x 3/8 SST (Dispense-Top)	HC160025.....	*	J2O-2935 -
* As Required ** LH or RH — Left or right hand is determined as you face the front of the freezer. NLA No Longer Available			

**Use only original or authorized replacement parts with this freezer.
Use of unapproved parts will void warranty.**

Alphabetized Parts List for Model CS705-M2

IMPORTANT:

All parts shown are for standard models designed for 220v/60Hz/1phase.

PART DESCRIPTION	PART NUMBER	QTY	SERIAL NUMBER (FROM – TO)
Screw-TRPM 1/4-20 x 1 SST (Side).....	HC159219.....	*	J20-2935 -
Screw-TRPM 1/4-20 x 1/2 SST (Front & Rear).....	HC160048.....	*	J20-2935 -
Seal-Assy. Shaft Double.....	HC115525.....	1	J20-2935 -
Seal-Beater Shaft.....	HC160557.....	1	J20-2935 -
Washer-Double Shaft Seal	HC137593.....	2	J20-2935 -
Seal-Beater Shaft	HC160557.....	1	J20-2935 -
Shaft-Assy. Mix.....	HC196291.....	1	J20-2935 -
Shaft-Drive.....	HC140824.....	1	J20-2935 -
Shaft-Drive 1.438PD J8.....	HC140654.....	1	J20-2935 -
Shaft-Flexible w/Casing 17-1/2"	HC153422-01	1	J20-2935 -
Sheave-Drive 1.438 PD J8	HC140654.....	1	J20-2935 -
Sheave-Driven.....	HC153614.....	1	J20-2935 -
Sheet-Clean & Sanitize CS705	HC184589.....	1	J20-2935 -
Sheet-Clean & Sanitize Syrup System CS705	HC184590.....	1	J20-2935 -
Shroud-Fan.....	HC140656.....	1	J20-2935 -
Sleeve-Comp.Mtg.....	HC151479.....	4	J20-2935 -
Socket-Miniature Relay DPDT.....	HC150098.....	1	J20-2935 -
Spacer-.375 Long	HC137765-01	2	J20-2935 -
Spacer-Rear Bearing.....	HC130189.....	1	J20-2935 -
Spring-Extension	HC162331.....	1	J20-2935 -
Spring-Plunger Rod	HC162303.....	1	J20-2935 -
Stamping-Main	HC153026.....	2	J20-2935 -
Stamping-Retainer Plate	HC153025.....	2	J20-2935 -
Stop-Terminal Block End (Cover)	HC150594.....	1	J20-2935 -
Stud-Assy. Cylinder 1-15/16"	HC114341.....	2	J20-2935 -
Switch-Assy. Plunger Shake Pres	HC121011.....	1	J20-2935 -
Guard-Switch Assy.....	HC141209.....	1	J20-2935 -
Insulator-Switch	HC137798.....	1	J20-2935 -
Insulator-Switch	HC139175.....	1	J20-2935 -
Nut-El Stop #6-32 ZN.....	HC160199.....	4	J20-2935 -
Screw-RDHM #6-32 x 2 Zn.....	HC159973.....	4	J20-2935 -
Spring-Plunger Rod	HC162303.....	1	J20-2935 -
Switch-Snap Button	HC150456.....	3	J20-2935 -
* As Required			
** LH or RH — Left or right hand is determined as you face the front of the freezer.			
NLA No Longer Available			

**Use only original or authorized replacement parts with this freezer.
Use of unapproved parts will void warranty.**

Alphabetized Parts List for Model CS705-M2

IMPORTANT:

All parts shown are for standard models designed for 220v/60Hz/1phase.

PART DESCRIPTION	PART NUMBER	QTY	SERIAL NUMBER (FROM – TO)
Washer-1/2 x .196 x 1/16	HC160157.....	8	J20-2935 -
Washer-Flat #6 Brass	HC160393.....	2	J20-2935 -
Switch-Level Float Sensor.....	HC161300.....	1	J20-2935 -
Switch-Push DPDT Mom Black	HC150971.....	2	J20-2935 -
Switch-Snap Button	HC150456.....	3	J20-2935 -
Switch-Toggle 3PDT Center Off	HC150465.....	1	J20-2935 -
Switch-Toggle SPST.....	HC159235.....	1	J20-2935 -
Terminal-Strip	HC150798.....	1	J20-2935 -
Timer-DOB .5-60 Sec	HC150188.....	1	J20-2935 -
Tool-O-Ring Removal	HC169374.....	1	J20-2935 -
Transformer-75VA / 24VAC / MURD.....	IC574100325	1	J20-2935 -
Transformer-Current.....	IC547100349	1	J20-2935 -
Tray-Drip	HC196260.....	1	J20-2935 -
Trimstrip-Assy. Tapered Malt	HC121018-01	1	J20-2935 -
Tube-Assy Large Peristaltic (Chocolate)	HC120983-01	1	J20-2935 -
Tube-Assy Small Peristaltic.....	HC120983.....	3	J20-2935 -
Tube-Assy Water Line	HC121094.....	1	J20-2935 -
Tube-Assy. Drain	HC120606.....	1	J20-2935 -
Tube-Assy. Mix Feed .313.....	HC120666.....	1	J20-2935 -
Insert-Assy. Mix Feed	HC120664.....	1	J20-2935 -
O-ring	HC160611.....	1	J20-2935 -
O-ring	HC160621.....	2	J20-2935 -
Tube-Mix Feed .313 Orifice	HC140721.....	1	J20-2935 -
Tube-Assy. Syrup Pick-up	HC121039.....	1	J20-2935 -
Tube-Assy. Syrup Pick-up 3/8 (Chocolate)....	HC121039-01	1	J20-2935 -
Tube-Capillary w/Strainer	HC155397.....	1	J20-2935 -
Tube-Mix Feed .313 Orifice (Tube ONLY)	HC140721.....	1	J20-2935 -
Valve-Access	HC155419.....	1	J20-2935 -
Valve-Access	HC155497.....	3	J20-2935 -
* As Required ** LH or RH — Left or right hand is determined as you face the front of the freezer. NLA No Longer Available			

Use only original or authorized replacement parts with this freezer.
Use of unapproved parts will void warranty.

Alphabetized Parts List for Model CS705-M2

IMPORTANT:

All parts shown are for standard models designed for 220v/60Hz/1phase.

PART DESCRIPTION	PART NUMBER	QTY	SERIAL NUMBER (FROM – TO)
Valve-Automatic Expansion.....	HC155490.....	1	J2O-2935 -
Valve-Core.....	HC155649.....	1	J2O-2935 -
Valve-EPR	HC155398.....	1	J2O-2935 -
Valve-Solenoid 1/4 NPT 240V	HC155708.....	1	J2O-2935 -
Washer-1/2 x .196 x 1/16 (Plunger Switch Assy.)	HC160157.....	4	J2O-2935 -
Washer-Double Shaft Seal	HC137593.....	1	J2O-2935 -
Washer-Flat #6 Brass	HC160393.....	2	J2O-2935 -
Washer-Lock 5/16 ZN.....	HC160142.....	2	J2O-2935 -
* As Required ** LH or RH — Left or right hand is determined as you face the front of the freezer. NLA No Longer Available			

**Use only original or authorized replacement parts with this freezer.
Use of unapproved parts will void warranty.**